





JUBILANT INFRASTRUCTURE L	TD. (SEZ)		
Greenbelt Trees Details			
Plants Plants	Qty. (No.)		
Gulmohar (Delonix Regia/ Poinciana Regia)	2460		
Bauhinia black (Orchid tree)	300		
Azardirachtaindica (Neem)	1820		
Amaltash (Cassia Fistula)	570		
Jamun	525		
Alstoniascholaris (Saptaparni)	730		
Rain Tree (Shirish)	730		
Blue Jacaranda	165		
Fern tree	75		
Peltoforum	1480		
Palash	660		
Teak	450		
Palm tree	220		
Champa (Plumeria)	260		
Saru (Casuarina)	285		
Bengali Baval (Babul)	290		
Thespasiapopulea (Paras Pipal)	180		
Fycus	210		
Polyalthia pendula (Pendula asopalv - Ashoka)	200		
Badam	100		
Coconut tree (Cocos nucifera)	50		
Borsali	144		
Conocarpus	3045		
Date Palm	28		
Foxtal Palm	6		
Golden Bamboo	600		
TOTAL	15583		





303-304, Shivalik-7, B/s Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph +91 281 2360695 Email : royalenvironment@live.com admin@royalconsultancy.com

Date: 26/06/2020

REPORT OF SOIL ANALYSIS

Name of company: Jubilant Infrastructure Ltd. (SEZ)

Address

: SEZ Plot No. 5,

Vilayat GIDC, Taluka Vagra, Dist: Bharuch - 392 012.

Date of Sampling: 09/06/2020 Source of Sample : Nr. CETP

Ref. No.: 132/06/2020-21

Sr. No.	Parameters	Units	Test Method	Results
1,	Electric Conductivity (EC)	ms	FAO: ISSN 0259 - 2495	10.2
2.	pH of 5% Solution		IS :2720 (Part - 26)-1987 Reaffirmed 2002	7.63
3.	Nitrogen	%	APHA 4500	0.54
4.	Phosporus	%	APHA 4500P C	0.384
5.	potassium	%	FAO: ISSN 0259 - 2495	0.10
6.	Sulphate	%	IS:2720 (Part - 17)-1977 Reaffirmed2006	1,155
7.	Chloride	%	APHA 4500-CIB	2.01
8.	Sodlum Adsorption Ratio (SAR)		By Calcution	1.84
9.	Porosity	- Mary	IS: 2720	1.5
10.	Bulk Density	w/v	California Department of Pesticide Regulation	0.58
11.	Water holding capacity	ml/mg	FAO: ISSN 0259 - 2495	1.4
12.	Texture		FAO: ISSN 0259 - 2495	Clay
13.	Sand Content of soil	%	FAO: ISSN 0259 - 2495	7.3
14.	Silt Content of soil	%	FAO: ISSN 0259 - 2495	21.2
15	Clay Content of soil	%	FAO: ISSN 0259 - 2495	68.5

Royal Environment Auditing & Consultancy Service





GIDC Drainage Regulations 1990 Gujarat Industrial Development Corporation

NOTIFICATION

GUJARAT INDUSTRIAL DEVELOPMENT ACT, 1962

No. GIDC/ENG/(PH)/LAW/AMD 17:-

In exercise of the powers conferred by subsection (1) of Section 54 of the Gujarat Industrial Development Act. 1962 (Guj. XXIII of 1962) and with the previous approval of the State Government the Gujarat Industrial Development Corpo ration hereby makes the following Regulations (1990) namely.

- 1 Short Title: These Regulations may be called the Gujarat Industrial Development Corporation Drainage Regulations, 1990.
- 2 Application: They shall apply to all the industrial estates of the Corporation and units located in the said estates in respect of all matters concerning the drainage system and effluent discharge system of the said units.
- 3 Definitions: In these Regulations, unless the content specifically indicates otherwise the meaning of the terms used shall be as under:
- (a) "The Corporation" means the Gujarat Industrial Development Corporation.
- (b) "Industrial Estate" means the Industrial Estate of the Corporation.
- (c) "Persons" means any individual, firm, Company, Association, Society, Corporation or a group
- (d) "Sewer" means a pipe or conduit or other construction provided for carrying sewage.
- (e) "Building Sewer" means the sewer under the control of the property owner and extending from the building to the first inspection chamber of manhole in Corporations land.
- (f) "Public Sewer" means sewer in which all owners of abutting properties may discharge and which is controlled by the Corporation.
- (g) "Sanitary Sewers" means a sewer which carries sewage and to which storm, surface, and ground waters are not initially admitted.
- (h) "Storm Sewer" means sewer which carries storm and surface waters and drainage but excludes sewage and industrial wastes.
- (i) "Combined Sewer" means a sewer receiving both sewage and surface runoff.
- (j) "Sewage" means a combination of the water carried wastes from residences, Business buildings, institutions and industrial establishments together with such ground surface and storm waters as may be present.
- (k) "Industrial Wastes" (Effluent) means the liquid wastes for industrial manufacturing process, trade, business or from any development, recovery or processing operation, as distinct from sanitary sewage. This shall not include solid wastes whatsoever.



Dy. Ex. Engineer

Drainage Sub Division

G.I.D.C., Bharuch,

- (1) "Garbage" means solid wastes from the domestic and commercial preparation, cooking & dispensing of food and from the handling storage and sale of produce.
- (m) "Property Shredded Garbage" means the wastes from the preparation, cooking & dispensing of food, that have been shredded to such a degree, that all particle will be 1\2 (half) carried freely under the flow conditions normally prevailing in sewers, with no particle greater than one half (1\2) inch in any dimension.
- (n) "Sewage Treatment Plant" means any arrangement or devices and structures used for treating sewage.
- (o) "Sewage Works" means all facilities for collecting, pumping, treating & disposing of sewage,
- (p) "Water Course" means channel in which flow of water occures either continuously or intermittently.
- (q) "Natural Outlet" means any outlet into a water course or standing surface water or ground water.
- (r) "Sludge" means any discharge of water, sewage or industrial waste which in concentration of any given constituent or in quantily of flow exceeds or any duration longer than 15 minutes, five times the average 24 hours concentration or flow during normal operation.
- (s) "PH" means the logarithm of the reciprocal of the weight of hydrogenous in grams per litre of solution as determined by procedures outlined in "Standard methods".
- (f) "Biochemical Oxygen Demand" (abbreviated as B. O. D.) means the quantity of oxygen utilized in the biochemical oxidation of organic matter in five days at 20 C, expressed in milligrams per litre, as determined by procedure outlined in "Standard Methods".
- (u) "Suspended Solids" means solids that either float on the surface or are in suspension in water, sewage or other liquids or which are removable by a laboratory filtering device, quantitative determination shall be done in accordance with "Standard Methods".
- (v) "Gallon" means Imperial Gallon.
- (w) "Control Manhole" means the manhole so designated for the access purpose of collecting waste effluent samples and facilitating observation and measurement of wastes as necessary from a property. It shall be last manhole in the building sewer or the manhole at the junction of the building sewer with the public sewer downstream as may be decided by the "Engineer-in-charge".
- (x) "Standard Methods" means the examination of analytical procedures set forth in the most recent publication of Indian Standard for the purpose and also as approved by "Pollution Control Board".
- 4. It shall be unlawful for any industry to place, deposit or permit to be deposited in any insanitary manner on public or private property in the industrial estates of Gujarat industrial Development Corporation any human or animal excrement, garbage, solid waste or other objectionable waste.
- 5. It shall be unlawful for any industry to discharge into any natural outer within Gujarat Industrial Development Corporation estate any sewage or other polluted water, industrial effluent except where suitable treatment has been provided as per Gujarat pollution Control Boards Regulations in force.



m

Dy. Ex. Engineer Drainage Sub Division G.I.D.C., Bharuch.

- 6. For permission to discharge either domestic-industrial liquid waste into the Gujarat Industrial Development Corporations sewerage system from Industries-person producing industrial waste-domestic waste, the owner or his authorised agent shall make an application in prescribed form alliable in the office of the Deputy Executive Engineer in the estate (as per Annexure A). The permit application shall be accompanied by plant-specifications. No. Objection Certificate I permission from Gujarat Pollution Control Board, waste sample test reports, or such information considered necessary in the opinion of the Gujarat Industrial Development Corporation for releasing drainage connection. An inspection and scrutiny fee of Rs. 100/- for industrial waste connection and Rs. 50/- for domestic waste connection shall be paid at the time of application.
- 7. All industrial/trade/domestic establishment existing and generating industrial domestic waste at the time of enactment of these Regulations are also required, to seek permission to discharge into Gujarat Industrial Development Corporations sewerage system within 3 months of enforcement of these Regulations and within one month from the date of commissioning of underground drainage lines. They will also be required to execute an agreement with Gujarat Industrial Development Corporation before getting the connection.
- 8. No person shall discharge or cause to be discharged any storm water, surface water or sub surface water to any sanitary sewers of the Gujarat Industrial Development Corporation, All such storm water, surface water shall be discharged to such drains as are specifically designated as storm water drains or natural outlier as approved by the Gujarat Industrial Development Corporation or its authorised person.
- 9. Grease, oil and sand interceptors duly approved by Gujarat Industrial Development Corporation shall be provided if so advised by the Gujarat Industrial Development Corporation . All interceptors shall be so located as to be readily and easily accessible for inspection by Gujarat Industrial Development Corporation. The interceptors shall maintained by the individual industry or person taking drainage connection to Gujarat Industrial Development Corporation Sewerage system.
- 10. No storage rooms where acids, syndesis or other harmful substances are stored, shall be connected directly to the Gujarat Industrial Development Corporations sewerage system or any natural outlet Curbing, holding pit, or other approved arrangement shall be provided by the industry or person before obtaining connection to the drainage system.
- 11. No industry or person shall discharge or cause to be discharged any of the below mentioned types of sewage, industrial or domestic waste, or factory waste into any Gujarat Industrial Development Corporation sewer or natural outlet or water or water body within or entering the Gujarat Industrial Development Corporations estates and the liquid waste shall be confirming ISS 2490: 1981 (relevant part applicacable only.)

The liquid wastes should not contain.

- (a) Any waste containing fats, wax, grease, tars or oils whether emulsified or not, in excess of 20 mg/ L or containing substances which may solidify or become viscous at temperature between 32°F & 15°F.
- (b) Any petroleum products, fuel, oil, calcium, bengene, neptha cleaning solvents or other inflammable and/or explosive materials in liquid or gaseous form.
- (c) Any solid viscous substance in quantities or of such size of specific gravity as would be capable of causing obstruction to the flow on sewers or other interference with the proper operation of the sewage

mi



Dy. Ex. Engineed
Drainage Sub Division
G.I.D.C., Bharuch

works such as, but not limited to, ashes, cinders, sand, stone, dust, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood fullers, earth like sturies and residues, pulp and paper milt westes, underground garbage, paper dishes, cups, food containers, flash, bones, animal products, residues etc. either whole or ground by garbage grinders.

- 12. No person shall discharge or caused to be discharged substances, materials, waters or wastes, if it appears likely in the opinion of the Gujarat Industrial Development Corporation that such wastes are not amenable to satisfactory' treatment or can harm either the seweam sewage treatment process or equipment, have an adverse effect on the receiving stream or can otherwise endanger life, public property, or constitute a nuisance. Informing opinion as to the acceptability of such waste, the Gujarat Industrial Development Corporation will give consideration to such factor as the quantities of wastes in relation to flows and Velocities in the sewers, materials or construction of the sewers, nature of the sewage treatment process, degree of treatability to wastes and other pertinent factors.
- 13. If any water or wastes which are discharged, or are proposed to be discharged to the Gujarat Industrial Development Corporation sewers contain the substances or process characteristics enumerated in these regulations and which in the judgement of the Gujarat Industrial Development Corporation, may have a deleterious effect upon the sewage works, process equipment or receiving water which otherwise create hazard to life or constitute a public nuisance, the Engineer-in-charge may.
- (a) Advise pretreatment to an acceptable condition for discharge to the Gujarat Industrial Development Corporation sewers.
 - (b) Advise payment of "Surcharge" as detailed.
 - (c) Reject the wastes.
 - (d) Disconnection of drainage connection.
 - (e) Disconnection of water supply.
- 14. The owner shall operate and maintain continuously and effectively at his expense the private waste treatment and flow equalization system in a sanitary and safe mannenat all times.
- 15. When required by the Gujarat Industrial Development Corporation the owner of any property serviced by a sewer carrying Industrial wastes shall install a suitable control manhole together with such necessary appurtenances in the sewer to facilitate observation, sampling and measurements of the wastes. Such manhole when required shall be accessibly and safely located and shall be constructed in accordance with plants approved by the Gujarat Industrial Development Corporation. The manhole and required appurtenances shall be installed by the owner at his expense and shall be maintained by him so as to be safe and accessible at all times, in case where the industry will not provide the control manhole the drainage connection shall not be granted.
- 16. In the event, in the opinion of Engineer-in-charge because of low constitution of water or any such reasons to be recorded in writing to be kept on records, that no control manhole is required, the control manhole shall be considered to be the nearest downsheam manhole in the Public sewer to the point at which the sewer is connected by vnA (d)
- 17. Sampling shall be carried out to reflect the effect of constituents upon life sewage, works and to determine the existence of hazards to life and property. The particular analysis involved at the discretion of the Gujarat Industrial Development Corporation would be done either on basis of a 24 hours composite or as angrab sample.



Dy. Ex. Engineer
Drainage Sub Division

0.010

备

G.I.D.C., Bharuch

- 18. All test and analysis of the characteristics of water and wastes to which reference is made in these regulations shall be determined in accordance with standard methods as per relevant ISS in force and shall be determined at the control manhole provided or upon suitable samples taken at the said control manhole in the presence of representatives of all parties concerned and tested at a laboratory approved by the Gujarat Industrial Development Corporation.
- 19. The Gujarat Industrial Development Corporation may at any time before/after issuance of permit or grant of connection run additional tests of the sewage or wastes being discharged by any trade or industry over such period as it may deem necessary. Cost of such tests shall be borne by the trade or industry concerned.
- 20. In the event of tests showing greater degrees of pollution than permissible under regulation 11 the surcharge, if any, to be paid shall be computed on the basis of the latest test results available shall be levied from the billing period in which the tests are carried out if any such testing shall show a reduced degree of pollution in the wastes be eligible for reduced payment of surcharge as decided by the Corporation.
- 21. The Engineer-in-charge or his authorized person of the Gujarat Industrial Development Corporation shall be permitted to enter all properties for the purpose of inspection, observation of this Regulation and having a direct bearing on the nature and source of discharge to the sewers or waterways or facilities for waste treatment of the Gujarat Industrial Development Corporation.
- 22. If any persons is found violating any provisions of these regulations he shall be served with a notice by the competent office of Gujarat Industrial Development Corporation calling upon him to stop such violation within a period of seven days.
- 23. If any person continues to violate provisions of these regulations beyond the time limit provided in regulation 22 he shall be liable for prosecution by competent office and a fine upto
- 24. Any person who dose anything in contravention of regulations 22& 23 shall be liable to the Gujarat Industrial Development Corporation for any expenses, loss or damage caused to the Gujarat Industrial Development Corporation by reason of such violation and also for suspension or cancellation of any permission granted under these regulations such as drainage and water supply connections.
- 25. Should any court of competent jurisdiction declare any provision of these regulations ultra vires, than decision shall effect only such provision so declared to be ultra-vires and shall not effect any other part of these regulations.
- 26. The person/industry as beneficiary of sewerage system will have to dear the drainage cess applicable to the concerned area/estate of the Gujarat Industrial Development Corporation as may be decided and approved by the competent authority of Gujarat Industrial Development Corporation. No person/industry shall be liable to claim exemption from paying the drainage cess. The drainage as may be covered through the prescribed preforms of the bills and issued to the concerned person/industry shall have to be paid against it within 15 days from the receipt of the bill, failing which a penalty as may be decided by the competent authority, which shall not have bearings, upon any other penalties or surcharge payment etc., on account of violation of qualitative parameters of the industrial liquid wastes.

5



Dy. Ex. Engineer
Drainage Sub Division
G.I.D.C., Bharuch

Further if the person or industry concerned shall not make the due payme against the claimed bills their drainage connection shall be liable for disconnectly with maximum of seven days further notice. In the event of such a disconnection, and thereafter upon the deposit of full amount of recovery against which pending bill, including the penalty charges etc, the person or industry shall be granted, if requested in the prescribed format, a fresh drainage connection, for which the reconnection charges as may be stipulated at the prevalent time of reconnection shall be leviable.

- 27. The person or industry shall have to execute the job of drainage connection with or with out provision of control manhole including flow measuring devices etc complete after such a connection is granted to them by the competent authorized firough either any authorized licensed plumber or any of the Municipal Corporation Bujarat Industrial Development Corporation approved licensed plumber or in the measure of authorized personnel of Gujarat Industrial Development Corporation. The distinguishment connection charge shall include of such charges required to be expended towards purchase of required materials or labor charges towards laying, jointing and construction work, breaking upon and remaking good of either WBM. (weter Bound Macadam) or asphaltic road surfaces etc. complete.
- 28. The drainage cess as may be computed and finalized by the compete authority of the Gujarat Industrial Development Corporation shall not be liable for challenges either by way of representation from individual industry or association of industries or Federation of Association of industries or even in the Court of laws.
- 29. The drainage connection shall be granted to the industry who does not have or not make use of illegal source of water supply. However in the event of industry who had been granted permission to drill their own bores will have to ensure that it they are receiving sufficient quantity of water supply arranged by Gujarat Industrial Development Corporation such permitted bores also shall have to be sealed prior to obtaining drainage connection in the event if Gujarat Industrial Development Corporation is unable to meet with water demand of an industry and if such a permission has been granted to have a private bore within the plot area of industry, then this should be specifically brought to notice of concerned authority and this specific quantity of water being used or would be used from this source will have to be notified in the application of the request for drainage connection in case, if water from private bore is allowed in writing then also from the entrepreneur will have to put water meter in his own supply line duty sealed so as to know the quantity of water used and quality of effluent likely to Lodischarged.
- 30. The Gujarat Industrial Development Corporation holds the right of power to disconnect the water supply and drainage connection in the event of bre; ch of the aforesaid regulations for which the concerned authority shall issue notice of clear 30 days prior to disconnect ion of water supply or drainage connection.
- 31. That the Managing Director of the corporation shall decide all disputes regarding the interpretation of these regulations. In the event of any disputes arising with regard to the interpretation of these regulations, it shall be referred to the Managing Director of the Corporation whose decisions shall be final.

Dy. Ex. Engineer
Drainage Sub Division
G.J.D.C., Bharuch



m



GUJARAT INDUSTRIAL DEVELOPMENT CORPORATION APPLICATION FOR DRAINAGE CONNECTION

Date:

To.

Dy. Executive Engineer (Drainage) GIDC, Bharuch.

Sir.

I/We hereby apply for the drainage connection for the premiss held by me/us at Plot No.5 (Plot Number) in the Dahrej/Vilayat Industrial Estate.

The required details are furnished below:

- 1. Full Name and address of the applicant
- Description of the premises for which drainage connection is desired.
- 3. (a) Size of water connection in mm:
- (b) Consumption of water in liters per day.4. Quantity of effluent to be discharged in
- 5. Size of drainage connection required in mm.
- (a) Quality of effluent, (Whether industrial or domestic or any other use).
 - (b) Permission/No Objection Certificate by Gujarat Pollution Control Board (attach copy)
 - (c) Effluent Analysis Report from approved laboratory.
- 7. The capacity in which the premises are held by the applicant (i. e. whether owner/ licensee/lease etc.)
- 8. Process and products in case industry.
- 9. Raw Materials used.

liters per day.

- 10. No. of persons employed.
- 11. Whether control manhole constructed.

TUBILANT INFRASTRUCTURE LID.
Plot No.5, Vilayat GIDC, Tal. Vac
Dish - Bhanch, Gujarah
JUBILANT INFRASTRUCTURE LITO.
CSEZ DEVELOPER
2500 mm /day
1000 m3 / day
1540 mm (OD) HOPE
Industrial manufactured
11031.71 3.017.1
Ycs

Lease

Bedor Secific SEZ Por Objemicals

Medimal Gas Chemicals etc.

125

Yes



Dy. Ex. Engineer

Drainage Sub Division

G.L.D.C., Bharuch

DECLARATION

I/We hereby declare that, I/We shall abide by the terms and conditions including the Drainage Regulation in force at present and as may be modified from time to time by the Corporation, and will pay the charges and other charges and expenses levied by Corporation for effluent disposal at the rates fixed by the Corporation.

I/We also hereby give undertaking, that I/We shall treat the effluent as prescribed by Gujarat Pollution Control Board and/or as per IS standard, before discharging the same into the Corporations sewer system. I/We also understand that in case of my/our not treating the effluent upto specified standard, our drainage connection shall be liable to be disconnected from the Corporation sewer and the same can be reconnected at my/our risk and cost only.

I/We hereby remit Rs.	(Rupees	only)	in	cash	towards
scrutiny charges.					



For Jubilant Infrastructure Ltd.

Authorized Signatory Signature with the party stamp

Encl.

1 Plan showing details of connection


2 Permission/No objection Certificate by Gujarat Pollution Control Board.

3 Effluent Analysis Report by Government Laboratory or other Government approved aboratory P.S. only one Drainage connection per industry is allowed.

Dy. Ex. Engineer

Drainage Sub Divisions

G.I.D.C., Bharuch



Dy. Ex. Engineer
Drainage Sub Division
G.I.D.C., Sharuch



Jubilant Infrastructure Ltd.

Auhtorised Signatory



ENERGY POLICY

Jubilant Life Sciences Limited is committed to Procure, Generate and Use Energy in most cost Effective, Efficient and environmentally responsible manner and accord highest priority for energy conservation (ENCON) in all our activities processes and services.

We would strive to make ENCON a way of life and our aim is to drive towards best energy performance for respective product in the industry, we operate. We are committed to comprehensive energy management within our facilities, processes and across our value chain.

We shall achieve this by:

- Establishing an effective Energy Management System and implementing ENCON objectives
- Monitoring our operational Energy efficiency at all levels and making all efforts for continual improvement in Energy performance
- Involving all the employees by training and motivation for the Energy Efficient operations of processes and equipment
- Controlling our Energy consumption by adopting Energy Efficient technologies, processes and purchasing Energy Efficient products, Equipment and Services
- Considering Energy performance improvement opportunities and operational control in the design of new, modified and renovated facilities equipment, systems and processes
- Conserving fossil fuels through enhanced use of cleaner energy sources and energy recovery (eg. Renewables, Waste Heat Recovery)
- Considering environmental criteria such as energy intensity and associated emissions when purchasing raw, packaging and auxiliary materials or when transporting finished products
- Strive for continuous improvement by setting annual energy efficiency targets and planning actions to achieve the same
- Ensuring all compliance obligations and following best practices for energy sourcing, usage and consumption
- Making information and resources available to all Employees for energy conservation initiatives.
- Engage with stakeholders across the value chain to propagate energy efficiency
- Incorporate forward-looking energy considerations into our business decision making processes, particularly our capital process

This policy is communicated to all the Employees of our organization for information, implementation and review.

Shyam S Bhartia Chairman Hari S Bhartia
Co-Chairman & Managing Director

November 14, 2017





JUBILANT LIFE SCIENCES LTD.





PLOT NO. P1-L1, JUBILANT SEZ, PLOT NO. 5, VILAYAT GIDC, TAL VAGRA, DIST. BHARUCH - 392 012, GUJARAT, INDIA.

This is a multi-site certificate, additional site details are listed in the appendix to this certificate Bureau Veritas (India) Pvt. Ltd. (Certification Business) certify that the Management System of the above organisation has been audited and found to be in accordance with the requirements of the management system standards detailed below

Standard

ISO 50001:2018

Scope of certification

- 1. MANUFACTURE & DISPATCH OF ACTIVE PHARMACEUTICAL VITAMINS, PYRIDINE BASED DRUG INTERMEDIATES AND FINE INGREDIENTS
- 2. PROVIDING UTILITY SUPPORT SERVICES SUCH AS AIR. WATER, STEAM, WITHIN JLS SEZ

Original cycle start date:

09 September 2016

Expiry date of previous cycle:

08 September 2019

Recertification Audit date:

17 August 2019

Recertification cycle start date:

07 September 2019

Subject to the continued satisfactory operation of the organization's Management System,

this certificate expires on: 08 September 2022

Certificate No. IND.19.1595/En/N

Version: 1

Revision date: 07 September 2019

Certification Authority Jagdheesh N. MANIAN

Head - CERTIFICATION, South Asia Commodities, Industry & Facilities Division



EnM003

Local office:

Bureau Veritas (India) Private Limited (Certification Business) 72 Business Park, Marol Industrial Area, MIDC Cross Road "C", Andheri (East), Mumbai – 400 093, India

Further clarifications regarding the scope of this certificate and the applicability of the management system requirements may be obtained by consulting the organization. To check this certificate validity please call +91 22 6274 2000.



Appendix to the certification

JUBILANT LIFE SCIENCES LTD.





Standard

ISO 50001:2018

SITE	ADDRESS	SCOPE		
JUBILANT LIFE SCIENCES LTD.	PLOT NO. P1-L1, JUBILANT SEZ, PLOT NO. 5, VILAYAT GIDC, TAL VAGRA, DIST. BHARUCH – 392 012, GUJARAT, INDIA.	MANUFACTURE & DISPATCH OF ACTIVE PHARMACEUTICAL VITAMINS, PYRIDINE BASED DRUG INTERMEDIATES AND FINE INGREDIENTS		
JUBILANT INFRASTRUCTURE LIMITED.	PLOT NO. 5, VILAYAT GIDC, TAL.VAGRA, DIST. BHARUCH –392 012, GUJARAT, INDIA.	PROVIDING UTILITY SUPPORT SERVICES SUCH AS AIR, WATER, STEAM, WITHIN JLS SEZ		

Certificate No. IND.19.1595/En/N Version: 1 Revision date: 07 September 2019

Certification Authority Jagdheesh N. MANIAN

Head – CERTIFICATION, South Asia Commodities, Industry & Facilities Division NABCB

EnM003

Local office:

Bureau Veritas (India) Private Limited (Certification Business) 72 Business Park, Marol Industrial Area, MIDC Cross Road "C", Andheri (East), Mumbai – 400 093, India

Further clarifications regarding the scope of this certificate and the applicability of the management system requirements may be obtained by consulting the organization. To check this certificate validity please call +91 22 6274 2000.